

6 priedas - LithuanianAccented.keylayout, 1 psl. iš 29

```
1 <?xml version="1.0" encoding="UTF-8"?>
2 <!DOCTYPE keyboard SYSTEM
   "file:///localhost/System/Library/DTDs/KeyboardLayout.dtd">
3 <!-- Lithuanian Accented keyboard layout for Mac OS X -->
4 <!-- More information on layout: http://ims.mii.lt/klav/ -->
5 <!-- Last edited by Rimas Kudelis on 2009-06-01 -->
6 <keyboard group="126" id="-3806" name="Lithuanian - Accented" maxout="3">
7     <layouts>
8         <!-- all unknown codes will default to ANSI -->
9         <layout first="0" last="3" modifiers="commonModifiers"
10    mapSet="ANSI"/>
11         <layout first="4" last="5" modifiers="commonModifiers"
12    mapSet="ISO"/>
13         <layout first="6" last="6" modifiers="commonModifiers"
14    mapSet="ANSI"/>
15         <layout first="7" last="7" modifiers="commonModifiers"
16    mapSet="ISO"/>
17         <layout first="8" last="8" modifiers="commonModifiers"
18    mapSet="ANSI"/>
19         <layout first="9" last="9" modifiers="commonModifiers"
20    mapSet="ISO"/>
21         <layout first="10" last="12" modifiers="commonModifiers"
22    mapSet="ANSI"/>
23         <layout first="13" last="13" modifiers="commonModifiers"
24    mapSet="ISO"/>
25         <!-- code 14 is the keypad for Apple Adjustable Keyboard, code
26    15 unknown -->
27         <layout first="16" last="16" modifiers="commonModifiers"
28    mapSet="ANSI"/>
29         <layout first="17" last="17" modifiers="commonModifiers"
30    mapSet="ISO"/>
31         <layout first="18" last="18" modifiers="commonModifiers"
32    mapSet="JIS"/>
33         <!-- code 19 unknown -->
34         <layout first="20" last="20" modifiers="commonModifiers"
35    mapSet="ISO"/>
36         <layout first="21" last="23" modifiers="commonModifiers"
37    mapSet="JIS"/>
38         <layout first="24" last="24" modifiers="commonModifiers"
39    mapSet="ANSI"/>
40         <!-- codes 25 and 26 unknown -->
41         <layout first="27" last="28" modifiers="commonModifiers"
42    mapSet="ANSI"/>
43         <layout first="29" last="29" modifiers="commonModifiers"
44    mapSet="ISO"/>
45         <layout first="30" last="30" modifiers="commonModifiers"
```

```
mapSet="JIS"/>
29     <layout first="31" last="31" modifiers="commonModifiers"
mapSet="ANSI"/>
30     <layout first="32" last="32" modifiers="commonModifiers"
mapSet="ISO"/>
31     <layout first="33" last="33" modifiers="commonModifiers"
mapSet="JIS"/>
32     <layout first="34" last="34" modifiers="commonModifiers"
mapSet="ANSI"/>
33     <layout first="35" last="35" modifiers="commonModifiers"
mapSet="ISO"/>
34     <layout first="36" last="36" modifiers="commonModifiers"
mapSet="JIS"/>
35     <layout first="37" last="37" modifiers="commonModifiers"
mapSet="ANSI"/>
36     <layout first="38" last="38" modifiers="commonModifiers"
mapSet="ISO"/>
37     <layout first="39" last="39" modifiers="commonModifiers"
mapSet="JIS"/>
38     <layout first="40" last="40" modifiers="commonModifiers"
mapSet="ANSI"/>
39     <layout first="41" last="41" modifiers="commonModifiers"
mapSet="ISO"/>
40     <layout first="42" last="42" modifiers="commonModifiers"
mapSet="JIS"/>
41     <layout first="43" last="43" modifiers="commonModifiers"
mapSet="ANSI"/>
42     <layout first="44" last="44" modifiers="commonModifiers"
mapSet="ISO"/>
43     <layout first="45" last="45" modifiers="commonModifiers"
mapSet="JIS"/>
44     <layout first="46" last="46" modifiers="commonModifiers"
mapSet="ANSI"/>
45     <layout first="47" last="47" modifiers="commonModifiers"
mapSet="ISO"/>
46     <layout first="48" last="48" modifiers="commonModifiers"
mapSet="JIS"/>
47     <!-- codes 49 - 193 unknown -->
48     <layout first="194" last="194" modifiers="commonModifiers"
mapSet="JIS"/>
49     <layout first="195" last="195" modifiers="commonModifiers"
mapSet="ANSI"/>
50     <layout first="196" last="196" modifiers="commonModifiers"
mapSet="ISO"/>
51     <layout first="197" last="197" modifiers="commonModifiers"
mapSet="JIS"/>
```

```

52     <layout first="198" last="198" modifiers="commonModifiers"
mapSet="ANSI"/>
53     <layout first="199" last="199" modifiers="commonModifiers"
mapSet="ISO"/>
54     <layout first="200" last="201" modifiers="commonModifiers"
mapSet="JIS"/>
55     <layout first="202" last="202" modifiers="commonModifiers"
mapSet="ANSI"/>
56     <layout first="203" last="203" modifiers="commonModifiers"
mapSet="ISO"/>
57     <layout first="204" last="204" modifiers="commonModifiers"
mapSet="ANSI"/>
58     <layout first="205" last="205" modifiers="commonModifiers"
mapSet="ISO"/>
59     <layout first="206" last="207" modifiers="commonModifiers"
mapSet="JIS"/>
60     <!-- codes 208 - 258 unknown -->
61     <layout first="259" last="259" modifiers="commonModifiers"
mapSet="ANSI"/>
62     <!-- codes 260 - 1201 unknown -->
63     <layout first="1202" last="1202" modifiers="commonModifiers"
mapSet="ANSI"/>
64     <layout first="1203" last="1203" modifiers="commonModifiers"
mapSet="ISO"/>
65     <!-- codes 1204 - 1206 unknown -->
66     <layout first="1207" last="1207" modifiers="commonModifiers"
mapSet="JIS"/>
67     </layouts>
68     <modifierMap id="commonModifiers" defaultIndex="0">
69         <keyMapSelect mapIndex="0">
70             <modifier keys=""/>
71         </keyMapSelect>
72         <keyMapSelect mapIndex="1">
73             <modifier keys="anyShift caps?"/>
74         </keyMapSelect>
75         <keyMapSelect mapIndex="2">
76             <modifier keys="caps"/>
77         </keyMapSelect>
78         <keyMapSelect mapIndex="3">
79             <modifier keys="anyOption caps?"/>
80         </keyMapSelect>
81     <!--
82         <keyMapSelect mapIndex="4">
83             <modifier keys="anyOption anyShift caps?"/>
84         </keyMapSelect>
85     -->

```

```

86     </modifierMap>
87     <keyMapSet id="ISO">
88         <keyMap index="0">
89             <!-- Level 1: no modifiers -->
90             <key code="0" action="a"/>
91             <key code="1" action="s"/>
92             <key code="2" output="d"/>
93             <key code="3" output="&#x0161;"/> <!-- LATIN SMALL LETTER S
WITH CARON -->
94             <key code="4" action="h"/>
95             <key code="5" action="g"/>
96             <key code="6" action="z"/>
97             <key code="7" action="&#x016b;"/> <!-- LATIN SMALL LETTER U
WITH MACRON -->
98             <key code="8" action="c"/>
99             <key code="9" action="v"/>
100            <!-- Key 10 has position E00 on ISO keyboards, doesn't exist
elsewhere -->
101            <key code="10" action="grave"/> <!-- deadkey grave -->
102            <key code="11" output="b"/>
103            <key code="12" action="&#x0105;"/> <!-- LATIN SMALL LETTER A
WITH OGONEK -->
104            <key code="13" output="&#x017e;"/> <!-- LATIN SMALL LETTER Z
WITH CARON -->
105            <key code="14" action="e"/>
106            <key code="15" action="r"/>
107            <key code="16" action="y"/>
108            <key code="17" action="t"/>
109            <key code="18" output="!"/>
110            <key code="19" output="-"/>
111            <key code="20" output="/"/>
112            <key code="21" output=";"/>
113            <key code="22" output=","/>
114            <key code="23" output=":"/>
115            <key code="24" action="x"/>
116            <key code="25" output="("/>
117            <key code="26" action="."/>
118            <key code="27" output="?"/>
119            <key code="28" output="="/>
120            <key code="29" output=")"/>
121            <key code="30" action="w"/>
122            <key code="31" action="o"/>
123            <key code="32" action="u"/>
124            <key code="33" action="&#x012f;"/> <!-- LATIN SMALL LETTER I
WITH OGONEK -->
125            <key code="34" action="i"/>

```

```

126         <key code="35" action="p"/>
127         <!-- Key 36 is the Return key -->
128         <key code="36" output="&#x000d;"/> <!-- CARRIAGE RETURN (CR)
-->
129         <key code="37" action="l"/>
130         <key code="38" action="j"/>
131         <key code="39" action="&#x0117;"/> <!-- LATIN SMALL LETTER E
WITH DOT ABOVE -->
132         <key code="40" action="k"/>
133         <key code="41" action="&#x0173;"/> <!-- LATIN SMALL LETTER U
WITH OGONEK -->
134         <key code="42" output="q"/>
135         <key code="43" output="&#x010d;"/> <!-- LATIN SMALL LETTER C
WITH CARON -->
136         <key code="44" action="&#x0119;"/> <!-- LATIN SMALL LETTER E
WITH OGONEK -->
137         <key code="45" action="n"/>
138         <key code="46" action="m"/>
139         <key code="47" output="f"/>
140         <!-- Key 48 is the Tab key-->
141         <key code="48" output="&#x0009;"/> <!-- CHARACTER TABULATION
-->
142         <!-- Key 49 is the Space bar -->
143         <key code="49" action="&#x0020;"/> <!-- SPACE -->
144         <!-- Key 50 has position B00 on ISO keyboards, and E00 on
ANSI keyboards. It doesn't exist on JIS keyboards -->
145         <key code="50" output="&#x003c;"/> <!-- LESS-THAN SIGN -->
146         <!-- Key 51 is the Backspace key -->
147         <key code="51" output="&#x0008;"/> <!-- BACKSPACE -->
148         <key code="52" output="&#x0003;"/> <!-- END OF TEXT -->
149         <!-- Key 53 is the Escape key -->
150         <key code="53" output="&#x001b;"/> <!-- ESCAPE -->
151         <!-- gap, 54 through 63 -->
152         <key code="64" output="&#x0010;"/>
153         <!-- Numeric keypad -->
154         <!-- Key 65 is the Decimal delimiter key -->
155         <key code="65" output=","/>
156         <key code="66" output="&#x001d;"/>
157         <key code="67" output="*"/>
158         <!-- gap, 68 -->
159         <key code="69" output="+"/>
160         <key code="70" output="&#x001c;"/>
161         <!-- Key 71 is the Clear key -->
162         <key code="71" output="&#x001b;"/> <!-- ESCAPE -->
163         <key code="72" output="&#x001f;"/>
164         <!-- gap, 73 through 74 -->

```

```

165 <key code="75" output="/" />
166 <key code="76" output="&#x0003;" />
167 <key code="77" output="&#x001e;" />
168 <key code="78" output="-" />
169 <key code="79" output="&#x0010;" />
170 <key code="80" output="&#x0010;" />
171 <key code="81" output="=" />
172 <key code="82" output="0" />
173 <key code="83" output="1" />
174 <key code="84" output="2" />
175 <key code="85" output="3" />
176 <key code="86" output="4" />
177 <key code="87" output="5" />
178 <key code="88" output="6" />
179 <key code="89" output="7" />
180 <!-- gap, 90 -->
181 <key code="91" output="8" />
182 <key code="92" output="9" />
183 <!-- gap, 93 through 95 -->
184 <key code="96" output="&#x0010;" />
185 <key code="97" output="&#x0010;" />
186 <key code="98" output="&#x0010;" />
187 <key code="99" output="&#x0010;" />
188 <key code="100" output="&#x0010;" />
189 <key code="101" output="&#x0010;" />
190 <key code="102" output="&#x0010;" />
191 <key code="103" output="&#x0010;" />
192 <key code="104" output="&#x0010;" />
193 <key code="105" output="&#x0010;" />
194 <key code="106" output="&#x0010;" />
195 <key code="107" output="&#x0010;" />
196 <key code="108" output="&#x0010;" />
197 <key code="109" output="&#x0010;" />
198 <key code="110" output="&#x0010;" />
199 <key code="111" output="&#x0010;" />
200 <key code="112" output="&#x0010;" />
201 <key code="113" output="&#x0010;" />
202 <key code="114" output="&#x0005;" />
203 <key code="115" output="&#x0001;" />
204 <key code="116" output="&#x000b;" />
205 <key code="117" output="&#x007f;" />
206 <key code="118" output="&#x0010;" />
207 <key code="119" output="&#x0004;" />
208 <key code="120" output="&#x0010;" />
209 <key code="121" output="&#x000c;" />
210 <key code="122" output="&#x0010;" />

```

```

211         <key code="123" output="&#x001c;"/>
212         <key code="124" output="&#x001d;"/>
213         <key code="125" output="&#x001f;"/>
214         <key code="126" output="&#x001e;"/>
215     </keyMap>
216     <keyMap index="1">
217         <!-- Level 2: Shift pressed -->
218         <key code="0" action="A"/>
219         <key code="1" action="S"/>
220         <key code="2" output="D"/>
221         <key code="3" output="&#x0160;"/> <!-- LATIN CAPITAL LETTER
S WITH CARON -->
222         <key code="4" action="H"/>
223         <key code="5" action="G"/>
224         <key code="6" action="Z"/>
225         <key code="7" action="&#x016a;"/> <!-- LATIN CAPITAL LETTER
U WITH MACRON -->
226         <key code="8" action="C"/>
227         <key code="9" action="V"/>
228         <!-- Key 10 has position E00 on ISO keyboards, doesn't exist
elsewhere -->
229         <key code="10" action="tilde"/> <!-- deadkey tilde -->
230         <key code="11" output="B"/>
231         <key code="12" action="&#x0104;"/> <!-- LATIN CAPITAL LETTER
A WITH OGONEK -->
232         <key code="13" output="&#x017d;"/> <!-- LATIN CAPITAL LETTER
Z WITH CARON -->
233         <key code="14" action="E"/>
234         <key code="15" action="R"/>
235         <key code="16" action="Y"/>
236         <key code="17" output="T"/>
237         <key code="18" output="1"/>
238         <key code="19" output="2"/>
239         <key code="20" output="3"/>
240         <key code="21" output="4"/>
241         <key code="22" output="6"/>
242         <key code="23" output="5"/>
243         <key code="24" action="X"/>
244         <key code="25" output="9"/>
245         <key code="26" output="7"/>
246         <key code="27" output="+"/>
247         <key code="28" output="8"/>
248         <key code="29" output="0"/>
249         <key code="30" action="W"/>
250         <key code="31" action="0"/>
251         <key code="32" action="U"/>

```

```

252         <key code="33" action="&#x012e;" /> <!-- LATIN CAPITAL LETTER
I WITH OGONEK -->
253         <key code="34" action="I" />
254         <key code="35" action="P" />
255         <!-- The Return key -->
256         <key code="36" output="&#x000d;" /> <!-- CARRIAGE RETURN (CR)
-->
257         <key code="37" action="L" />
258         <key code="38" action="J" />
259         <key code="39" action="&#x0116;" /> <!-- LATIN CAPITAL LETTER
E WITH DOT ABOVE -->
260         <key code="40" action="K" />
261         <key code="41" action="&#x0172;" /> <!-- LATIN CAPITAL LETTER
U WITH OGONEK -->
262         <key code="42" output="Q" />
263         <key code="43" output="&#x010c;" /> <!-- LATIN CAPITAL LETTER
C WITH CARON -->
264         <key code="44" action="&#x0118;" /> <!-- LATIN CAPITAL LETTER
E WITH OGONEK -->
265         <key code="45" action="N" />
266         <key code="46" action="M" />
267         <key code="47" output="F" />
268         <!-- Key 48 is the Tab key-->
269         <key code="48" output="&#x0009;" /> <!-- CHARACTER TABULATION
-->
270         <!-- Key 49 is the Space bar -->
271         <key code="49" action="&#x0020;" /> <!-- SPACE -->
272         <!-- Key 50 has position B00 on ISO keyboards, but E00 on
ANSI keyboards -->
273         <key code="50" output="&#x003e;" /> <!-- GREATER-THAN SIGN -->
274         <!-- Key 51 is the Backspace key -->
275         <key code="51" output="&#x0008;" /> <!-- BACKSPACE -->
276         <key code="52" output="&#x0003;" /> <!-- END OF TEXT -->
277         <!-- Key 53 is the Escape key -->
278         <key code="53" output="&#x001b;" /> <!-- ESCAPE -->
279         <!-- gap, 54 through 63 -->
280         <key code="64" output="&#x0010;" />
281         <!-- Numeric keypad -->
282         <!-- Key 65 is the Decimal delimiter key -->
283         <key code="65" output="," />
284         <key code="66" output="&#x001d;" />
285         <key code="67" output="*" />
286         <!-- gap, 68 -->
287         <key code="69" output="+" />
288         <key code="70" output="&#x001c;" />
289         <!-- Key 71 is the Clear key -->

```



```

290      <key code="71" output="&#x001b;" /> <!-- ESCAPE -->
291      <key code="72" output="&#x001f;" />
292      <!-- gap, 73 through 74 -->
293      <key code="75" output="/" />
294      <key code="76" output="&#x0003;" />
295      <key code="77" output="&#x001e;" />
296      <key code="78" output="-" />
297      <key code="79" output="&#x0010;" />
298      <key code="80" output="&#x0010;" />
299      <key code="81" output="=" />
300      <key code="82" output="0" />
301      <key code="83" output="1" />
302      <key code="84" output="2" />
303      <key code="85" output="3" />
304      <key code="86" output="4" />
305      <key code="87" output="5" />
306      <key code="88" output="6" />
307      <key code="89" output="7" />
308      <!-- gap, 90 -->
309      <key code="91" output="8" />
310      <key code="92" output="9" />
311      <!-- gap, 93 through 95 -->
312      <key code="96" output="&#x0010;" />
313      <key code="97" output="&#x0010;" />
314      <key code="98" output="&#x0010;" />
315      <key code="99" output="&#x0010;" />
316      <key code="100" output="&#x0010;" />
317      <key code="101" output="&#x0010;" />
318      <key code="102" output="&#x0010;" />
319      <key code="103" output="&#x0010;" />
320      <key code="104" output="&#x0010;" />
321      <key code="105" output="&#x0010;" />
322      <key code="106" output="&#x0010;" />
323      <key code="107" output="&#x0010;" />
324      <key code="108" output="&#x0010;" />
325      <key code="109" output="&#x0010;" />
326      <key code="110" output="&#x0010;" />
327      <key code="111" output="&#x0010;" />
328      <key code="112" output="&#x0010;" />
329      <key code="113" output="&#x0010;" />
330      <key code="114" output="&#x0005;" />
331      <key code="115" output="&#x0001;" />
332      <key code="116" output="&#x000b;" />
333      <key code="117" output="&#x007f;" />
334      <key code="118" output="&#x0010;" />
335      <key code="119" output="&#x0004;" />

```

```

336         <key code="120" output="&#x0010;"/>
337         <key code="121" output="&#x000c;"/>
338         <key code="122" output="&#x0010;"/>
339         <key code="123" output="&#x001c;"/>
340         <key code="124" output="&#x001d;"/>
341         <key code="125" output="&#x001f;"/>
342         <key code="126" output="&#x001e;"/>
343     </keyMap>
344     <keyMap index="2">
345         <!-- Caps Lock on: same as keyMap 1 for letters, same as
keyMap 0 for other symbols -->
346         <key code="0" action="A"/>
347         <key code="1" action="S"/>
348         <key code="2" output="D"/>
349         <key code="3" output="&#x0160;"/> <!-- LATIN CAPITAL LETTER
S WITH CARON -->
350         <key code="4" action="H"/>
351         <key code="5" action="G"/>
352         <key code="6" action="Z"/>
353         <key code="7" action="&#x016a;"/> <!-- LATIN CAPITAL LETTER
U WITH MACRON -->
354         <key code="8" action="C"/>
355         <key code="9" action="V"/>
356         <!-- Key 10 has position E00 on ISO keyboards, doesn't exist
elsewhere -->
357         <key code="10" action="grave"/> <!-- deadkey grave -->
358         <key code="11" output="B"/>
359         <key code="12" action="&#x0104;"/> <!-- LATIN CAPITAL LETTER
A WITH OGONEK -->
360         <key code="13" output="&#x017d;"/> <!-- LATIN CAPITAL LETTER
Z WITH CARON -->
361         <key code="14" action="E"/>
362         <key code="15" action="R"/>
363         <key code="16" action="Y"/>
364         <key code="17" output="T"/>
365         <key code="18" output="!"/>
366         <key code="19" output="-"/>
367         <key code="20" output="/" />
368         <key code="21" output=";"/>
369         <key code="22" output=", "/>
370         <key code="23" output=":" />
371         <key code="25" output="(" />
372         <key code="26" action="." />
373         <key code="27" output="?"/>
374         <key code="28" output="=" />
375         <key code="29" output=")" />

```

```

376         <key code="30" action="W"/>
377         <key code="31" action="O"/>
378         <key code="32" action="U"/>
379         <key code="33" action="&#x012e;"/> <!-- LATIN CAPITAL LETTER
I WITH OGONEK -->
380         <key code="34" action="I"/>
381         <key code="35" action="P"/>
382         <!-- The Return key -->
383         <key code="36" output="&#x000d;"/>
384         <key code="37" action="L"/>
385         <key code="38" action="J"/>
386         <key code="39" action="&#x0116;"/> <!-- LATIN CAPITAL LETTER
E WITH DOT ABOVE -->
387         <key code="40" action="K"/>
388         <key code="41" action="&#x0172;"/> <!-- LATIN CAPITAL LETTER
U WITH OGONEK -->
389         <key code="42" output="Q"/>
390         <key code="43" output="&#x010c;"/> <!-- LATIN CAPITAL LETTER
C WITH CARON -->
391         <key code="44" action="&#x0118;"/> <!-- LATIN CAPITAL LETTER
E WITH OGONEK -->
392         <key code="45" action="N"/>
393         <key code="46" action="M"/>
394         <key code="47" output="F"/>
395         <!-- Key 48 is the Tab key-->
396         <key code="48" output="&#x0009;"/>
397         <!-- Key 49 is the Space bar -->
398         <key code="49" action="&#x0020;"/> <!-- SPACE -->
399         <!-- Key 50 has position B00 on ISO keyboards, but E00 on
ANSI keyboards. It doesn't exist on JIS keyboards -->
400         <key code="50" output="&#x003c;"/> <!-- LESS-THAN SIGN -->
401         <!-- Key 51 is the Backspace key -->
402         <key code="51" output="&#x0008;"/>
403         <key code="52" output="&#x0003;"/>
404         <!-- Key 53 is the Escape key -->
405         <key code="53" output="&#x001b;"/>
406         <!-- gap, 54 through 63 -->
407         <key code="64" output="&#x0010;"/>
408         <!-- Numeric keypad -->
409         <!-- Key 65 is the Decimal delimiter key -->
410         <key code="65" output=","/>
411         <key code="66" output="*"/>
412         <key code="67" output="*"/>
413         <!-- gap, 68 -->
414         <key code="69" output="+"/>
415         <key code="70" output="+"/>

```

```

416      <!-- The Clear button -->
417      <key code="71" output="&#x001b;" />
418      <key code="72" output="=" />
419      <!-- gap, 73 through 74 -->
420      <key code="75" output="/" />
421      <key code="76" output="&#x0003;" />
422      <key code="77" output="/" />
423      <key code="78" output="-" />
424      <!-- gap, 79 through 80 -->
425      <key code="79" output="&#x0010;" />
426      <key code="80" output="&#x0010;" />
427      <key code="81" output="=" />
428      <key code="82" output="0" />
429      <key code="83" output="1" />
430      <key code="84" output="2" />
431      <key code="85" output="3" />
432      <key code="86" output="4" />
433      <key code="87" output="5" />
434      <key code="88" output="6" />
435      <key code="89" output="7" />
436      <!-- gap, 90 -->
437      <key code="91" output="8" />
438      <key code="92" output="9" />
439      <!-- gap, 93 through 95 -->
440      <key code="96" output="&#x0010;" />
441      <key code="97" output="&#x0010;" />
442      <key code="98" output="&#x0010;" />
443      <key code="99" output="&#x0010;" />
444      <key code="100" output="&#x0010;" />
445      <key code="101" output="&#x0010;" />
446      <key code="102" output="&#x0010;" />
447      <key code="103" output="&#x0010;" />
448      <key code="104" output="&#x0010;" />
449      <key code="105" output="&#x0010;" />
450      <key code="106" output="&#x0010;" />
451      <key code="107" output="&#x0010;" />
452      <key code="108" output="&#x0010;" />
453      <key code="109" output="&#x0010;" />
454      <key code="110" output="&#x0010;" />
455      <key code="111" output="&#x0010;" />
456      <key code="112" output="&#x0010;" />
457      <key code="113" output="&#x0010;" />
458      <key code="114" output="&#x0005;" />
459      <key code="115" output="&#x0001;" />
460      <key code="116" output="&#x000b;" />
461      <key code="117" output="&#x007f;" />

```

```

462         <key code="118" output="&#x0010;"/>
463         <key code="119" output="&#x0004;"/>
464         <key code="120" output="&#x0010;"/>
465         <key code="121" output="&#x000c;"/>
466         <key code="122" output="&#x0010;"/>
467         <key code="123" output="&#x001c;"/>
468         <key code="124" output="&#x001d;"/>
469         <key code="125" output="&#x001f;"/>
470         <key code="126" output="&#x001e;"/>
471     </keyMap>
472     <keyMap index="3">
473         <!-- Level 3: Option pressed (Macs don't have an AltGr key)
-->
474         <!-- codes 6, 7 and 8 could be used to compensate missing
code 10 on non-European keyboards -->
475         <key code="10" action="acute"/> <!-- deadkey acute -->
476         <key code="14" output="&#x20ac;"/> <!-- EURO SIGN -->
477         <key code="18" output="@"/>
478         <key code="19" output="_"/>
479         <key code="20" output="#"/>
480         <key code="21" output="$"/>
481         <key code="22" action="circumflex"/> <!-- deadkey circumflex
-->
482         <key code="23" output="&#x00a7;"/> <!-- SECTION SIGN -->
483         <key code="24" output="%"/>
484         <key code="25" output="["/>
485         <key code="26" output="&#x0026;"/> <!-- AMPERSAND -->
486         <key code="27" output="'" />
487         <key code="28" output="*" />
488         <key code="29" output="]" />
489         <key code="30" output="}" />
490         <key code="33" output="{"/>
491         <key code="34" action="&#x0131;"/> <!-- LATIN SMALL LETTER
DOTLESS I -->
492         <key code="36" output="&#x000d;"/>
493         <key code="39" action="diaeresis"/> <!-- deadkey diaeresis
as quotation mark &#x0022; -->
494         <key code="42" output="|" />
495         <key code="43" output="&#x201e;"/> <!-- DOUBLE LOW-9
QUOTATION MARK -->
496         <key code="44" output="\ " />
497         <key code="47" output="&#x201c;"/> <!-- LEFT DOUBLE
QUOTATION MARK (right in Lithuanian) -->
498         <key code="48" output="&#x0009;"/>
499         <!-- Space bar outputs non-breaking space -->
500         <key code="49" output="&#x00a0;"/>

```

```

501      <key code="50" output="&#x2013;" /> <!-- EN DASH -->
502      <key code="51" output="&#x0008;" />
503      <key code="52" output="&#x0003;" />
504      <key code="53" output="&#x001b;" />
505      <key code="64" output="&#x0010;" />
506      <!-- Numeric keypad -->
507      <!-- Key 65 is the Decimal delimiter key -->
508      <key code="65" output="," />
509      <key code="66" output="&#x001d;" />
510      <key code="67" output="*" />
511      <!-- gap, 68 -->
512      <key code="69" output="+" />
513      <key code="70" output="&#x001c;" />
514      <!-- Key 71 is the Clear key -->
515      <key code="71" output="&#x001b;" /> <!-- ESCAPE -->
516      <key code="72" output="&#x001f;" />
517      <!-- gap, 73 through 74 -->
518      <key code="75" output="/" />
519      <key code="76" output="&#x0003;" />
520      <key code="77" output="&#x001e;" />
521      <key code="78" output="-" />
522      <key code="79" output="&#x0010;" />
523      <key code="80" output="&#x0010;" />
524      <key code="81" output="=" />
525      <key code="82" output="0" />
526      <key code="83" output="1" />
527      <key code="84" output="2" />
528      <key code="85" output="3" />
529      <key code="86" output="4" />
530      <key code="87" output="5" />
531      <key code="88" output="6" />
532      <key code="89" output="7" />
533      <!-- gap, 90 -->
534      <key code="91" output="8" />
535      <key code="92" output="9" />
536      <key code="96" output="&#x0010;" />
537      <key code="97" output="&#x0010;" />
538      <key code="98" output="&#x0010;" />
539      <key code="99" output="&#x0010;" />
540      <key code="100" output="&#x0010;" />
541      <key code="101" output="&#x0010;" />
542      <key code="103" output="&#x0010;" />
543      <key code="105" output="&#x0010;" />
544      <key code="106" output="&#x0010;" />
545      <key code="107" output="&#x0010;" />
546      <key code="109" output="&#x0010;" />

```

```

547         <key code="111" output="&#x0010;"/>
548         <key code="113" output="&#x0010;"/>
549         <key code="114" output="&#x0005;"/>
550         <key code="115" output="&#x0001;"/>
551         <key code="116" output="&#x000b;"/>
552         <key code="117" output="&#x007f;"/>
553         <key code="118" output="&#x0010;"/>
554         <key code="119" output="&#x0004;"/>
555         <key code="120" output="&#x0010;"/>
556         <key code="121" output="&#x000c;"/>
557         <key code="122" output="&#x0010;"/>
558         <key code="123" output="&#x001c;"/>
559         <key code="124" output="&#x001d;"/>
560         <key code="125" output="&#x001f;"/>
561         <key code="126" output="&#x001e;"/>
562     </keyMap>
563 </keyMapSet>
564 <keyMapSet id="ANSI">
565     <keyMap index="0" baseMapSet="ISO" baseIndex="0">
566         <!-- Level 1: no modifiers -->
567         <!-- Key 50 has position B00 on ISO keyboards, but E00 on
ANSI keyboards -->
568         <key code="50" action="grave"/> <!-- deadkey grave -->
569     </keyMap>
570     <keyMap index="1" baseMapSet="ISO" baseIndex="1">
571         <!-- Level 2: Shift pressed -->
572         <!-- Key 50 has position B00 on ISO keyboards, but E00 on
ANSI keyboards -->
573         <key code="50" action="tilde"/> <!-- deadkey tilde -->
574     </keyMap>
575     <keyMap index="2" baseMapSet="ISO" baseIndex="2">
576         <!-- Caps Lock on: same as keyMap 1 for letters, same as
keyMap 0 for other symbols -->
577         <!-- Key 50 has position B00 on ISO keyboards, but E00 on
ANSI keyboards -->
578         <key code="50" action="grave"/> <!-- deadkey grave -->
579     </keyMap>
580     <keyMap index="3" baseMapSet="ISO" baseIndex="3">
581         <!-- Level 3: Option pressed (Macs don't have an AltGr key)
-->
582         <!-- There is no key in position B00 on ANSI keyboards.
Compensate it with Option level of keys B01, B02, B03-->
583         <key code="6" output="&#x003c;"/> <!-- LESS-THAN SIGN -->
584         <key code="7" output="&#x003e;"/> <!-- GREATER-THAN SIGN -->
585         <key code="8" output="&#x2013;"/> <!-- EN DASH -->
586         <!-- Key 50 has position B00 on ISO keyboards, but E00 on

```

```

ANSI keyboards -->
587     <key code="50" action="acute"/> <!-- deadkey acute -->
588     </keyMap>
589 </keyMapSet>
590 <keyMapSet id="JIS">
591     <keyMap index="0" baseMapSet="ISO" baseIndex="0">
592         <!-- Level 1: no modifiers -->
593         <!-- Key 93 has position E13 on JIS keyboards, and doesn't
exist elsewhere. Use it to compensate missing E00 key -->
594         <key code="93" action="grave"/>
595         <!-- deadkey grave -->
596         <!-- Key 94 has position B11 on JIS keyboards, and doesn't
exist elsewhere. Use it to compensate missing B00 key -->
597         <key code="94" output="&#x003c;"/>
598         <!-- LESS-THAN SIGN -->
599         <!-- Key 95 is an additional digit separator on JIS
keyboards -->
600         <key code="95" output="."/>
601     </keyMap>
602     <keyMap index="1" baseMapSet="ISO" baseIndex="1">
603         <!-- Level 2: Shift pressed -->
604         <!-- Key 93 has position E13 on JIS keyboards, and doesn't
exist elsewhere. Use it to compensate missing E00 key -->
605         <key code="93" action="tilde"/>
606         <!-- deadkey tilde -->
607         <!-- Key 94 has position B11 on JIS keyboards, and doesn't
exist elsewhere. Use it to compensate missing B00 key -->
608         <key code="94" output="&#x003e;"/>
609         <!-- GREATER-THAN SIGN -->
610         <!-- Key 95 is an additional digit separator on JIS
keyboards -->
611         <key code="95" output="."/>
612     </keyMap>
613     <keyMap index="2" baseMapSet="ISO" baseIndex="2">
614         <!-- Caps Lock on: same as keyMap 1 for letters, same as
keyMap 0 for other symbols -->
615         <!-- Key 93 has position E13 on JIS keyboards, and doesn't
exist elsewhere. Use it to compensate missing E00 key -->
616         <key code="93" action="grave"/>
617         <!-- deadkey grave -->
618         <!-- Key 94 has position B11 on JIS keyboards, and doesn't
exist elsewhere. Use it to compensate missing B00 key -->
619         <key code="94" output="&#x003c;"/>
620         <!-- LESS-THAN SIGN -->
621         <!-- Key 95 is an additional digit separator on JIS
keyboards -->

```



```

622         <key code="95" output="."/>
623     </keyMap>
624     <keyMap index="3" baseMapSet="ISO" baseIndex="3">
625         <!-- Level 3: Option pressed (Macs don't have an AltGr key)
-->
626         <!-- There is no key in position B00 on JIS keyboards.
Compensate it with Option level of keys B01, B02, B03 for compatibility
with ANSI -->
627         <key code="6" output="&#x003c;"/>
628         <!-- LESS-THAN SIGN -->
629         <key code="7" output="&#x003e;"/>
630         <!-- GREATER-THAN SIGN -->
631         <key code="8" output="&#x2013;"/>
632         <!-- EN DASH -->
633         <!-- Key 93 has position E13 on JIS keyboards, and doesn't
exist elsewhere. Use it to compensate missing E00 key -->
634         <key code="93" action="acute"/>
635         <!-- deadkey acute -->
636         <!-- Key 94 has position B11 on JIS keyboards, and doesn't
exist elsewhere. Use it to compensate missing B00 key -->
637         <key code="94" output="&#x2013;"/>
638         <!-- EN DASH -->
639         <!-- Key 95 is an additional digit separator on JIS
keyboards -->
640         <key code="95" output="."/>
641     </keyMap>
642 </keyMapSet>
643 <actions>
644     <action id="&#x0020;"> <!-- SPACE -->
645         <when state="none" output="&#x0020;"/> <!-- SPACE -->
646         <when state="acute" output="&#x00b4;"/> <!-- ACUTE ACCENT -->
647         <when state="circumflex" output="^"/> <!-- CIRCUMFLEX -->
648         <when state="diaeresis" output="&#x0022;"/> <!-- QUOTATION
MARK -->
649         <when state="grave" output="`"/> <!-- GRAVE ACCENT -->
650         <when state="tilde" output="~"/> <!-- TILDE -->
651     </action>
652     <action id="A">
653         <when state="none" output="A"/>
654         <when state="acute" output="&#x00c1;"/> <!-- LATIN CAPITAL
LETTER A WITH ACUTE -->
655         <when state="circumflex" output="&#x00c2;"/> <!-- LATIN
CAPITAL LETTER A WITH CIRCUMFLEX -->
656         <when state="diaeresis" output="&#x00c4;"/> <!-- LATIN
CAPITAL LETTER A WITH DIAERESIS -->
657         <when state="grave" output="&#x00c0;"/> <!-- LATIN CAPITAL

```

```

LETTER A WITH GRAVE -->
658     <when state="tilde" output="&#x00c3;"/> <!-- LATIN CAPITAL
LETTER A WITH TILDE -->
659     </action>
660     <action id="a">
661         <when state="none" output="a"/>
662         <when state="acute" output="&#x00e1;"/> <!-- LATIN SMALL
LETTER A WITH CIRCUMFLEX -->
663         <when state="circumflex" output="&#x00e2;"/> <!-- LATIN
SMALL LETTER A WITH TILDE -->
664         <when state="diaeresis" output="&#x00e4;"/> <!-- LATIN SMALL
LETTER A WITH DIAERESIS -->
665         <when state="grave" output="&#x00e0;"/> <!-- LATIN SMALL
LETTER A WITH GRAVE -->
666         <when state="tilde" output="&#x00e3;"/> <!-- LATIN SMALL
LETTER A WITH ACUTE -->
667     </action>
668     <action id="&#x0104;"/> <!-- LATIN CAPITAL LETTER A WITH OGONEK
-->
669         <when state="none" output="&#x0104;"/> <!-- LATIN CAPITAL
LETTER A WITH OGONEK -->
670         <when state="acute" output="&#x0104;&#x0301;"/> <!-- LATIN
CAPITAL LETTER A WITH OGONEK AND ACUTE -->
671         <when state="tilde" output="&#x0104;&#x0303;"/> <!-- LATIN
CAPITAL LETTER A WITH OGONEK AND TILDE -->
672     </action>
673     <action id="&#x0105;"/> <!-- LATIN SMALL LETTER A WITH OGONEK -->
674         <when state="none" output="&#x0105;"/> <!-- LATIN SMALL
LETTER A WITH OGONEK -->
675         <when state="acute" output="&#x0105;&#x0301;"/> <!-- LATIN
SMALL LETTER A WITH OGONEK AND ACUTE -->
676         <when state="tilde" output="&#x0105;&#x0303;"/> <!-- LATIN
SMALL LETTER A WITH OGONEK AND TILDE -->
677     </action>
678     <action id="C">
679         <when state="none" output="C"/>
680         <when state="acute" output="&#x0108;"/> <!-- LATIN CAPITAL
LETTER C WITH ACUTE -->
681         <when state="grave" output="&#x00c7;"/> <!-- LATIN CAPITAL
LETTER C WITH CEDILLA -->
682     </action>
683     <action id="c">
684         <when state="none" output="c"/>
685         <when state="acute" output="&#x0109;"/> <!-- LATIN SMALL
LETTER C WITH ACUTE -->
686         <when state="grave" output="&#x00e7;"/> <!-- LATIN SMALL

```

```

LETTER C WITH CEDILLA -->
687     </action>
688     <action id="E">
689         <when state="none" output="E"/>
690         <when state="acute" output="&#x00c9;"/> <!-- LATIN CAPITAL
LETTER E WITH ACUTE -->
691         <when state="circumflex" output="&#x00ca;"/> <!-- LATIN
CAPITAL LETTER E WITH CIRCUMFLEX -->
692         <when state="diaeresis" output="&#x00cb;"/> <!-- LATIN
CAPITAL LETTER E WITH DIAERESIS -->
693         <when state="grave" output="&#x00c8;"/> <!-- LATIN CAPITAL
LETTER E WITH GRAVE -->
694         <when state="tilde" output="&#x1ebc;"/> <!-- LATIN CAPITAL
LETTER E WITH TILDE -->
695     </action>
696     <action id="e">
697         <when state="none" output="e"/>
698         <when state="acute" output="&#x00e9;"/> <!-- LATIN SMALL
LETTER E WITH ACUTE -->
699         <when state="circumflex" output="&#x00ea;"/> <!-- LATIN
SMALL LETTER E WITH CIRCUMFLEX -->
700         <when state="diaeresis" output="&#x00eb;"/> <!-- LATIN SMALL
LETTER E WITH DIAERESIS -->
701         <when state="grave" output="&#x00e8;"/> <!-- LATIN SMALL
LETTER E WITH GRAVE -->
702         <when state="tilde" output="&#x1ebd;"/> <!-- LATIN SMALL
LETTER E WITH TILDE -->
703     </action>
704     <action id="&#x0118;"/> <!-- LATIN CAPITAL LETTER E WITH OGONEK
-->
705         <when state="none" output="&#x0118;"/> <!-- LATIN CAPITAL
LETTER E WITH OGONEK -->
706         <when state="acute" output="&#x0118;&#x0301;"/> <!-- LATIN
CAPITAL LETTER E WITH OGONEK AND ACUTE -->
707         <when state="tilde" output="&#x0118;&#x0303;"/> <!-- LATIN
CAPITAL LETTER E WITH OGONEK AND TILDE -->
708     </action>
709     <action id="&#x0119;"/> <!-- LATIN SMALL LETTER E WITH OGONEK -->
710         <when state="none" output="&#x0119;"/> <!-- LATIN SMALL
LETTER E WITH OGONEK -->
711         <when state="acute" output="&#x0119;&#x0301;"/> <!-- LATIN
SMALL LETTER E WITH OGONEK AND ACUTE -->
712         <when state="tilde" output="&#x0119;&#x0303;"/> <!-- LATIN
SMALL LETTER E WITH OGONEK AND TILDE -->
713     </action>
714     <action id="&#x0116;"/> <!-- LATIN CAPITAL LETTER E WITH DOT

```

```

ABOVE -->
715         <when state="none" output="&#x0116;"/> <!-- LATIN CAPITAL
LETTER E WITH DOT ABOVE -->
716         <when state="grave" output="&#x0116;&#x0301;"/> <!-- LATIN
CAPITAL LETTER E WITH DOT ABOVE AND ACUTE -->
717         <when state="tilde" output="&#x0116;&#x0303;"/> <!-- LATIN
CAPITAL LETTER E WITH DOT ABOVE AND TILDE -->
718         </action>
719         <action id="&#x0117;"/> <!-- LATIN SMALL LETTER E WITH DOT ABOVE
-->
720         <when state="none" output="&#x0117;"/> <!-- LATIN SMALL
LETTER E WITH DOT ABOVE -->
721         <when state="acute" output="&#x0117;&#x0301;"/> <!-- LATIN
SMALL LETTER E WITH DOT ABOVE AND ACUTE -->
722         <when state="tilde" output="&#x0117;&#x0303;"/> <!-- LATIN
SMALL LETTER E WITH DOT ABOVE AND TILDE -->
723         </action>
724         <action id="G">
725             <when state="none" output="G"/>
726             <when state="acute" output="&#x01f4;"/> <!-- LATIN CAPITAL
LETTER G WITH ACUTE -->
727             <when state="circumflex" output="&#x011c;"/> <!-- LATIN
CAPITAL LETTER G WITH CIRCUMFLEX -->
728             </action>
729             <action id="g">
730                 <when state="none" output="g"/>
731                 <when state="acute" output="&#x01f5;"/> <!-- LATIN SMALL
LETTER G WITH ACUTE -->
732                 <when state="circumflex" output="&#x011d;"/> <!-- LATIN
SMALL LETTER G WITH CIRCUMFLEX -->
733                 </action>
734             <action id="H">
735                 <when state="none" output="H"/>
736                 <when state="circumflex" output="&#x0124;"/> <!-- LATIN
CAPITAL LETTER H WITH CIRCUMFLEX -->
737                 <when state="diaeresis" output="&#x1e26;"/> <!-- LATIN
CAPITAL LETTER H WITH DIAERESIS -->
738                 </action>
739                 <action id="h">
740                     <when state="none" output="h"/>
741                     <when state="circumflex" output="&#x0125;"/> <!-- LATIN
SMALL LETTER H WITH CIRCUMFLEX -->
742                     <when state="diaeresis" output="&#x1e27;"/> <!-- LATIN SMALL
LETTER H WITH DIAERESIS -->
743                     </action>
744                 <action id="I">

```

```

745         <when state="none" output="I"/>
746         <when state="acute" output="&#x00cd;"/> <!-- LATIN CAPITAL
LETTER I WITH ACUTE -->
747         <when state="circumflex" output="&#x00ce;"/> <!-- LATIN
CAPITAL LETTER I WITH CIRCUMFLEX -->
748         <when state="diaeresis" output="&#x00cf;"/> <!-- LATIN
CAPITAL LETTER I WITH DIAERESIS -->
749         <when state="grave" output="&#x00cc;"/> <!-- LATIN CAPITAL
LETTER I WITH GRAVE -->
750         <when state="tilde" output="&#x0128;"/> <!-- LATIN CAPITAL
LETTER I WITH TILDE -->
751     </action>
752     <action id="i">
753         <when state="none" output="i"/>
754         <when state="acute" output="i&#x0307;&#x0301;"/> <!-- LATIN
SMALL LETTER I WITH DOT ABOVE AND ACUTE -->
755         <when state="circumflex" output="&#x00ee;"/> <!-- LATIN
SMALL LETTER I WITH CIRCUMFLEX -->
756         <when state="diaeresis" output="&#x00ef;"/> <!-- LATIN SMALL
LETTER I WITH DIAERESIS -->
757         <when state="grave" output="i&#x0307;&#x0300;"/> <!-- LATIN
SMALL LETTER I WITH DOT ABOVE AND GRAVE -->
758         <when state="tilde" output="i&#x0307;&#x0303;"/> <!-- LATIN
SMALL LETTER I WITH DOT ABOVE AND TILDE -->
759     </action>
760     <action id="&#x012e; "> <!-- LATIN CAPITAL LETTER I WITH OGONEK
-->
761         <when state="none" output="&#x012e;"/> <!-- LATIN CAPITAL
LETTER I WITH OGONEK -->
762         <when state="acute" output="&#x012e;&#x0301;"/> <!-- LATIN
CAPITAL LETTER I WITH OGONEK AND ACUTE -->
763         <when state="tilde" output="&#x012e;&#x0303;"/> <!-- LATIN
CAPITAL LETTER I WITH OGONEK AND TILDE -->
764     </action>
765     <action id="&#x012f; "> <!-- LATIN SMALL LETTER I WITH OGONEK -->
766         <when state="none" output="&#x012f;"/> <!-- LATIN SMALL
LETTER I WITH OGONEK -->
767         <when state="acute" output="&#x012f;&#x0307;&#x0301;"/> <!--
LATIN SMALL LETTER I WITH OGONEK AND DOT ABOVE AND ACUTE -->
768         <when state="tilde" output="&#x012f;&#x0307;&#x0303;"/> <!--
LATIN SMALL LETTER I WITH OGONEK AND DOT ABOVE AND TILDE -->
769     </action>
770     <action id="&#x0131; "> <!-- LATIN SMALL LETTER DOTLESS I -->
771         <when state="none" output="&#x0131;"/> <!-- LATIN SMALL
LETTER DOTLESS I -->
772         <when state="`" output="&#x00ec;"/> <!-- LATIN SMALL LETTER

```

```

I WITH GRAVE -->
773         <when state="acute" output="&#x00ed;"/> <!-- LATIN SMALL
LETTER I WITH ACUTE -->
774         <when state="tilde" output="&#x0129;"/> <!-- LATIN SMALL
LETTER I WITH TILDE -->
775         </action>
776         <action id="j">
777             <when state="none" output="j"/>
778             <when state="diaeresis" output="&#x0135;"/> <!-- LATIN SMALL
LETTER J WITH DIAERESIS -->
779             <when state="tilde" output="j&#x0307;&#x0303;"/> <!-- LATIN
SMALL LETTER J WITH DOT ABOVE AND TILDE -->
780         </action>
781         <action id="J">
782             <when state="none" output="J"/>
783             <when state="diaeresis" output="&#x0134;"/> <!-- LATIN
CAPITAL LETTER J WITH DIAERESIS -->
784             <when state="tilde" output="J&#x0303;"/> <!-- LATIN CAPITAL
LETTER J ; COMBINING TILDE -->
785         </action>
786         <action id="K">
787             <when state="none" output="K"/>
788             <when state="acute" output="&#x1e30;"/> <!-- LATIN CAPITAL
LETTER K WITH ACUTE -->
789         </action>
790         <action id="k">
791             <when state="none" output="k"/>
792             <when state="acute" output="&#x1e31;"/> <!-- LATIN SMALL
LETTER K WITH ACUTE -->
793         </action>
794         <action id="L">
795             <when state="none" output="L"/>
796             <when state="acute" output="&#x0139;"/> <!-- LATIN CAPITAL
LETTER L WITH ACUTE -->
797             <when state="tilde" output="L&#x0303;"/> <!-- LATIN CAPITAL
LETTER L ; COMBINING TILDE -->
798         </action>
799         <action id="l">
800             <when state="none" output="l"/>
801             <when state="acute" output="&#x013a;"/> <!-- LATIN SMALL
LETTER L WITH ACUTE -->
802             <when state="tilde" output="l&#x0303;"/> <!-- LATIN SMALL
LETTER L WITH TILDE -->
803         </action>
804         <action id="M">
805             <when state="none" output="M"/>

```

```

806         <when state="acute" output="&#x1e3e;"/> <!-- LATIN CAPITAL
LETTER M WITH ACUTE -->
807         <when state="tilde" output="M&#x0303;"/> <!-- LATIN CAPITAL
LETTER M ; COMBINING TILDE -->
808         </action>
809         <action id="m">
810             <when state="none" output="m"/>
811             <when state="acute" output="&#x1e3f;"/> <!-- LATIN SMALL
LETTER M WITH ACUTE -->
812             <when state="tilde" output="m&#x0303;"/> <!-- LATIN SMALL
LETTER M WITH TILDE -->
813         </action>
814         <action id="N">
815             <when state="none" output="N"/>
816             <when state="acute" output="&#x0143;"/> <!-- LATIN CAPITAL
LETTER N WITH ACUTE -->
817             <when state="grave" output="&#x01f8;"/> <!-- LATIN CAPITAL
LETTER N WITH GRAVE -->
818             <when state="tilde" output="&#x00d1;"/> <!-- LATIN CAPITAL
LETTER N WITH TILDE -->
819         </action>
820         <action id="n">
821             <when state="none" output="n"/>
822             <when state="acute" output="&#x0144;"/> <!-- LATIN SMALL
LETTER N WITH ACUTE -->
823             <when state="grave" output="&#x01f9;"/> <!-- LATIN SMALL
LETTER N WITH GRAVE -->
824             <when state="tilde" output="&#x00f1;"/> <!-- LATIN SMALL
LETTER N WITH TILDE -->
825         </action>
826         <action id="O">
827             <when state="none" output="O"/>
828             <when state="acute" output="&#x00d3;"/> <!-- LATIN CAPITAL
LETTER O WITH ACUTE -->
829             <when state="circumflex" output="&#x00d4;"/> <!-- LATIN
CAPITAL LETTER O WITH CIRCUMFLEX -->
830             <when state="dieresis" output="&#x00d6;"/> <!-- LATIN
CAPITAL LETTER O WITH DIAERESIS -->
831             <when state="grave" output="&#x00d2;"/> <!-- LATIN CAPITAL
LETTER O WITH GRAVE -->
832             <when state="tilde" output="&#x00d5;"/> <!-- LATIN CAPITAL
LETTER O WITH TILDE -->
833         </action>
834         <action id="o">
835             <when state="none" output="o"/>
836             <when state="acute" output="&#x00f3;"/> <!-- LATIN SMALL

```

```

LETTER O WITH ACUTE -->
837     <when state="circumflex" output="&#x00f4;"/> <!-- LATIN
SMALL LETTER O WITH CIRCUMFLEX -->
838     <when state="dieresis" output="&#x00f6;"/> <!-- LATIN SMALL
LETTER O WITH DIAERESIS -->
839     <when state="grave" output="&#x00f2;"/> <!-- LATIN SMALL
LETTER O WITH GRAVE -->
840     <when state="tilde" output="&#x00f5;"/> <!-- LATIN SMALL
LETTER O WITH TILDE -->
841     </action>
842     <action id="P">
843         <when state="none" output="P"/>
844         <when state="acute" output="&#x1e54;"/> <!-- LATIN CAPITAL
LETTER P WITH ACUTE -->
845     </action>
846     <action id="p">
847         <when state="none" output="p"/>
848         <when state="acute" output="&#x1e55;"/> <!-- LATIN SMALL
LETTER P WITH ACUTE -->
849     </action>
850     <action id="R">
851         <when state="none" output="R"/>
852         <when state="acute" output="&#x0154;"/> <!-- LATIN CAPITAL
LETTER R WITH ACUTE -->
853     <when state="tilde" output="R&#x0303;"/> <!-- LATIN CAPITAL
LETTER R WITH TILDE -->
854     </action>
855     <action id="r">
856         <when state="none" output="r"/>
857         <when state="acute" output="&#x0155;"/> <!-- LATIN SMALL
LETTER R WITH ACUTE -->
858     <when state="tilde" output="r&#x0303;"/> <!-- LATIN SMALL
LETTER R WITH TILDE -->
859     </action>
860     <action id="S">
861         <when state="none" output="S"/>
862         <when state="acute" output="&#x015a;"/> <!-- LATIN CAPITAL
LETTER S WITH ACUTE -->
863     <when state="circumflex" output="&#x015c;"/> <!-- LATIN
CAPITAL LETTER S WITH CIRCUMFLEX -->
864     </action>
865     <action id="s">
866         <when state="none" output="s"/>
867         <when state="acute" output="&#x015b;"/> <!-- LATIN SMALL
LETTER S WITH ACUTE -->
868     <when state="circumflex" output="&#x015d;"/> <!-- LATIN

```



```

SMALL LETTER S WITH CIRCUMFLEX -->
869     </action>
870     <action id="t">
871         <when state="none" output="t"/>
872         <when state="diaeresis" output="&#x1e97;"/> <!-- LATIN SMALL
LETTER T WITH DIAERESIS -->
873     </action>
874     <action id="U">
875         <when state="none" output="U"/>
876         <when state="acute" output="&#x00da;"/> <!-- LATIN CAPITAL
LETTER U WITH ACUTE -->
877         <when state="circumflex" output="&#x00db;"/> <!-- LATIN
CAPITAL LETTER U WITH DIAERESIS -->
878         <when state="diaeresis" output="&#x00dc;"/> <!-- LATIN
CAPITAL LETTER U WITH DIAERESIS -->
879         <when state="grave" output="&#x00d9;"/> <!-- LATIN CAPITAL
LETTER U WITH GRAVE -->
880         <when state="tilde" output="&#x0168;"/> <!-- LATIN CAPITAL
LETTER U WITH TILDE -->
881     </action>
882     <action id="u">
883         <when state="none" output="u"/>
884         <when state="acute" output="&#x00fa;"/> <!-- LATIN SMALL
LETTER U WITH ACUTE -->
885         <when state="circumflex" output="&#x00fb;"/> <!-- LATIN
SMALL LETTER U WITH DIAERESIS -->
886         <when state="diaeresis" output="&#x00fc;"/> <!-- LATIN SMALL
LETTER U WITH DIAERESIS -->
887         <when state="grave" output="&#x00f9;"/> <!-- LATIN SMALL
LETTER U WITH GRAVE -->
888         <when state="tilde" output="&#x0169;"/> <!-- LATIN SMALL
LETTER U WITH TILDE -->
889     </action>
890     <action id="&#x0172;"/> <!-- LATIN CAPITAL LETTER U WITH OGONEK
-->
891     <when state="none" output="&#x0172;"/> <!-- LATIN CAPITAL
LETTER U WITH OGONEK -->
892     <when state="acute" output="&#x0172;&#x0301;"/> <!-- LATIN
CAPITAL LETTER U WITH OGONEK AND ACUTE -->
893     <when state="tilde" output="&#x0172;&#x0303;"/> <!-- LATIN
CAPITAL LETTER U WITH OGONEK AND TILDE -->
894 </action>
895 <action id="&#x0173;"/> <!-- LATIN SMALL LETTER U WITH OGONEK -->
896     <when state="none" output="&#x0173;"/> <!-- LATIN SMALL
LETTER U WITH OGONEK -->
897     <when state="acute" output="&#x0173;&#x0301;"/> <!-- LATIN

```

```

SMALL LETTER U WITH OGONEK AND ACUTE -->
898     <when state="tilde" output="&#x0173;&#x0303;"/> <!-- LATIN
SMALL LETTER U WITH OGONEK AND TILDE -->
899     </action>
900     <action id="&#x016a; "> <!-- LATIN CAPITAL LETTER U WITH MACRON
-->
901     <when state="none" output="&#x016a;"/> <!-- LATIN CAPITAL
LETTER U WITH MACRON -->
902     <when state="acute" output="&#x016a;&#x0301;"/> <!-- LATIN
CAPITAL LETTER U WITH MACRON AND ACUTE -->
903     <when state="tilde" output="&#x016a;&#x0303;"/> <!-- LATIN
CAPITAL LETTER U WITH MACRON AND TILDE -->
904     </action>
905     <action id="&#x016b; "> <!-- LATIN SMALL LETTER U WITH MACRON -->
906     <when state="none" output="&#x016b;"/> <!-- LATIN SMALL
LETTER U WITH MACRON -->
907     <when state="acute" output="&#x016b;&#x0301;"/> <!-- LATIN
SMALL LETTER U WITH MACRON AND ACUTE -->
908     <when state="tilde" output="&#x016b;&#x0303;"/> <!-- LATIN
SMALL LETTER U WITH MACRON AND TILDE-->
909     </action>
910     <action id="V">
911     <when state="none" output="V"/>
912     <when state="tilde" output="&#x1e7c;"/> <!-- LATIN CAPITAL
LETTER V WITH TILDE -->
913     </action>
914     <action id="v">
915     <when state="none" output="v"/>
916     <when state="tilde" output="&#x1e7d;"/> <!-- LATIN SMALL
LETTER V WITH TILDE -->
917     </action>
918     <action id="W">
919     <when state="none" output="W"/>
920     <when state="acute" output="&#x1e82;"/> <!-- LATIN CAPITAL
LETTER W WITH ACUTE -->
921     <when state="circumflex" output="&#x0174;"/> <!-- LATIN
CAPITAL LETTER W WITH CIRCUMFLEX -->
922     <when state="diaeresis" output="&#x1e84;"/> <!-- LATIN
CAPITAL LETTER W WITH DIAERESIS -->
923     <when state="grave" output="&#x1e80;"/> <!-- LATIN CAPITAL
LETTER W WITH GRAVE -->
924     </action>
925     <action id="w">
926     <when state="none" output="w"/>
927     <when state="acute" output="&#x1e83;"/> <!-- LATIN SMALL
LETTER W WITH ACUTE -->

```

```

928         <when state="circumflex" output="&#x0175;"/> <!-- LATIN
SMALL LETTER W WITH CIRCUMFLEX -->
929         <when state="diaeresis" output="&#x1e85;"/> <!-- LATIN SMALL
LETTER W WITH DIAERESIS -->
930         <when state="grave" output="&#x1e81;"/> <!-- LATIN SMALL
LETTER W WITH GRAVE -->
931     </action>
932     <action id="X">
933         <when state="none" output="X"/>
934         <when state="diaeresis" output="&#x1e8c;"/> <!-- LATIN
CAPITAL LETTER X WITH DIAERESIS -->
935     </action>
936     <action id="x">
937         <when state="none" output="x"/>
938         <when state="diaeresis" output="&#x1e8d;"/> <!-- LATIN SMALL
LETTER X WITH DIAERESIS -->
939     </action>
940     <action id="Y">
941         <when state="none" output="Y"/>
942         <when state="acute" output="&#x00dd;"/> <!-- LATIN CAPITAL
LETTER Y WITH ACUTE -->
943         <when state="circumflex" output="&#x0176;"/> <!-- LATIN
CAPITAL LETTER Y WITH CIRCUMFLEX -->
944         <when state="diaeresis" output="&#x0178;"/> <!-- LATIN
CAPITAL LETTER Y WITH DIAERESIS -->
945         <when state="grave" output="&#x1ef2;"/> <!-- LATIN CAPITAL
LETTER Y WITH GRAVE -->
946         <when state="tilde" output="&#x1ef8;"/> <!-- LATIN CAPITAL
LETTER Y WITH TILDE -->
947     </action>
948     <action id="y">
949         <when state="none" output="y"/>
950         <when state="acute" output="&#x00fd;"/> <!-- LATIN SMALL
LETTER Y WITH ACUTE -->
951         <when state="circumflex" output="&#x0177;"/> <!-- LATIN
SMALL LETTER Y WITH CIRCUMFLEX -->
952         <when state="diaeresis" output="&#x00ff;"/> <!-- LATIN SMALL
LETTER Y WITH DIAERESIS -->
953         <when state="grave" output="&#x1ef3;"/> <!-- LATIN SMALL
LETTER Y WITH GRAVE -->
954         <when state="tilde" output="&#x1ef9;"/> <!-- LATIN SMALL
LETTER Y WITH TILDE -->
955     </action>
956     <action id="Z">
957         <when state="none" output="Z"/>
958         <when state="acute" output="&#x0179;"/> <!-- LATIN SMALL

```

```

LETTER Z WITH ACUTE -->
959     <when state="diaeresis" output="&#x1e90;"/> <!-- LATIN SMALL
LETTER Z WITH CIRCUMFLEX -->
960     </action>
961     <action id="z">
962         <when state="none" output="z"/>
963         <when state="acute" output="&#x017a;"/> <!-- LATIN SMALL
LETTER Z WITH ACUTE -->
964     <when state="diaeresis" output="&#x1e91;"/> <!-- LATIN SMALL
LETTER Z WITH CIRCUMFLEX -->
965     </action>
966     <action id="acute">
967         <when state="none" next="acute"/>
968         <when state="acute" output="&#x0301;"/> <!-- COMBINING ACUTE
ACCENT -->
969     </action>
970     <action id="circumflex">
971         <when state="none" next="circumflex"/>
972         <when state="circumflex" output="&#x0302;"/> <!-- COMBINING
CIRCUMFLEX -->
973     </action>
974     <action id="diaeresis">
975         <when state="none" next="diaeresis"/>
976         <when state="diaeresis" output="&#x0308;"/> <!-- COMBINING
DIAERESIS -->
977     </action>
978     <action id="tilde">
979         <when state="none" next="tilde"/>
980         <when state="tilde" output="&#x0303;"/> <!-- COMBINING TILDE
-->
981     </action>
982     <action id="grave">
983         <when state="none" next="grave"/>
984         <when state="acute" output="&#x0301;"/> <!-- COMBINING ACUTE
ACCENT -->
985     <when state="circumflex" output="&#x0302;"/> <!-- COMBINING
CIRCUMFLEX -->
986     <when state="diaeresis" output="&#x0308;"/> <!-- COMBINING
DIAERESIS -->
987     <when state="grave" output="&#x0300;"/> <!-- COMBINING GRAVE
ACCENT -->
988     <when state="tilde" output="&#x0303;"/> <!-- COMBINING TILDE
-->
989     </action>
990     <action id=".">
991         <when state="none" output="."/>

```

6 priedas - LithuanianAccented.keylayout, 29 psl. iš 29

```
992         <when state="grave" output="&#x0307;"/> <!-- COMBINING DOT  
ABOVE -->  
993     </action>  
994 </actions>  
995 <terminators>  
996     <when state="acute" output="&#x00b4;"/> <!-- ACUTE ACCENT -->  
997     <when state="circumflex" output="^"/>  
998     <when state="diaeresis" output="&#x0022;"/> <!-- QUOTATION MARK  
-->  
999     <when state="grave" output="`"/>  
1000     <when state="tilde" output="~/>  
1001 </terminators>  
1002 </keyboard>  
1003
```